




# "Hansen" Valves Specifications and Parts List



## "Hansen" Pressure - Relief Valves & Three - Way Dual Shut - Off Valves


### Pressure Relief Valves



Model	Threaded Connections (NPT)		Dimensions (Inches)		
	Bottom Inlet	Side Outlet	A	B	C
H5600A	1/2" FPT	3/4" FPT			
H5601	1/2" FPT	1" FPT	2.13"	2.75"	1.63"
H5602	3/4" FPT	1" FPT			
H5613	1" FPT	1-1/4" FPT	3"	4.13"	2.25"
H5604	1-1/4" FPT	1-1/2" FPT			

ลูกค้าต้องการ Pressure Relief-Valve จะต้องกำหนด Pressure Setting ในการสั่งซื้อสินค้าทุกครั้ง  
 ( Standard Stock, High Pressure 300 PSIG, Low Pressure 225 PSIG )

### Three - Way Dual Shut Off Valve



Model	Connections Size	Dimensions (Inches)				
		A	B	C	D	E
H8021	1/2" FPT					
H8022	3/4" FPT	3.63"	2.38"	3.38"	1.75"	6.00"
H8024	1" FPT	5.88"	3.75"	4.00"	2.00"	8.00"
H8025	1-1/4" FPT					



# "Hansen" Valves Specifications and Parts List



## "Hansen" Solenoid Valve, with Coil 230V/50Hz

**HS7 Solenoid Valve**



Model	Port Size (mm.)	Flange Connection Style and Sizes		
		FPT,SW,WN		ODS
		STD	ALSO	STD
HS7	3/4" (20)	3/4"	1", 1-1/4"	7/8"
HS7	1" (25)	1"	3/4, 1-1/4"	1-1/8"
HS7	1-1/4" (32)	1-1/4"	3/4", 1"	1-3/8"

**HS4A Solenoid Valves**



Model	Port Size (mm.)	Flange Connection Style and Sizes		
		FPT,SW,WN		ODS
		STD	ALSO	STD
HS4A	3/4" (20)	3/4"	1", 1-1/4"	7/8"
HS4A	1" (25)	1"	3/4, 1-1/4"	1-1/8"
HS4A	1-1/4" (32)	1-1/4"	3/4", 1"	1-3/8"
HS4A	1-1/2" (40)	1-1/2"	2"	1-5/8"
HS4A	2" (50)	2"	1-1/2"	2-1/8"
HS4A	2-1/2" (65)	2-1/2"	3"	2-5/8"
HS4A	3" (80)	3"	-	3-1/8"
HS4A	4" (100)	4"	-	4-1/8"

**HS6 Solenoid Valve**



Model	Port Size (mm.)	Flange Connection Style and Sizes		
		FPT,SW,WN		ODS
		STD	ALSO	STD
HS6	5/32" (4)	1/2"	1/4", 3/8"	5/8"

**HS8A Solenoid Valve**



Model	Port Size (mm.)	Flange Connection Style and Sizes		
		FPT,SW,WN		ODS
		STD	ALSO	STD
HS8A	1/2" (13)	1/2"	3/8, 3/4"	5/8"



# "Hansen" Valves Specifications and Parts List



## " Hansen " Strainers

**ST050-ST200**



**ST250-STW600**



Model	for Valve Size inch (mm.)	Flange Style and Sizes		
		Connection Available		
		FPT,SW,WN		ODS
		STD	ALSO	STD
ST050	1/2" (13)	1/2"	1/4"	5/8"
	5/32" (4)			
ST100	3/4" (20)	3/4"	1" , 1-1/4"	7/8"
	1" (25)	1"	3/4" , 1-1/4"	1-1/8"
	1-1/4" (32)	1-1/4"	3/4" , 1"	1-3/8"
ST200	1-1/2" (40)	1-1/2"	2"	1-5/8"
	2" (50)	2"	1-1/2"	2-1/8"
ST250	2-1/2" (65)	2-1/2"	3"	2-5/8"
ST300	3" (80)	3"	-	3-1/8"
ST400	4" (100)	4"	-	4-1/8"
STW500	5" (125)	5"WN	-	-
STW600	6" (150)	6"WN	-	-

## " Hansen " Refrigerant Gauge Valve and Needle Valve

**HGV1**



Model	Description
HGV1	Gauge Valve 1/4" MPT x FPT Angle, Long Neck

**H7771**



Model	Description
H7771	Needle Valve 1/4" MPT x FPT Angle

**H7773**



Model	Description
H7773	Needle Valve 3/8" MPT x FPT Angle



# "Hansen" Valves Specifications and Parts List



## "Hansen" Pressure Gauge & Accessories

**GA1M**



Model	Description
GA1M	Ammonia Pressure Gauge, Range -1/12 Bar

**GA2M**



Model	Description
GA2M	Ammonia Pressure Gauge, Range -1/21 Bar

**HLL**



Model	Description
HLL	Refrigerant Float Switch Complete Set

**HLLSW**



Model	Description
HLLSW	Switch Assembly Replacement Only

**M3W**



Model	Description
M3W	Inlet Pressure, Range A, P/N 75-1126



# "Hansen" Valves Specifications and Parts List



## "Hansen" Solenoid Coil and Plunger Kit

**70-1056 / 70-1086**



Part Number	Description
70-1056 / 70-1086	Solenoid Coil Kit , 230 v/50Hz., 18" Leads (Coil + Knob +O-Ring)

**70-0581**



Part Number	Description
70-0581	Solenoid Coil Only, 230V/50Hz., 18" Leads

**70-1059**



Part Number	Description
70-1059	Plunger Kit